



April 15, 2019

RE: Required Immunizations for the 2019-2020 School Year

Dear Parents/Guardians of Students in Texas Schools, Kindergarten through 12th Grade:

State law requires students in Texas schools to be immunized against certain vaccine-preventable diseases. This letter is to inform you of where you can obtain information about which vaccines your child needs to attend school and also to remind you to get your child's vaccinations early—before the busy back-to-school season. Getting your child vaccinated not only protects your child's health, but also that of the community.

To determine the specific vaccines that are required for your child's grade level, please refer to the *Texas Minimum State Vaccine Requirements for Students in Grades K-12*. This document is available on the Department of State Health Services (DSHS) Immunization Unit website at <https://www.dshs.texas.gov/immunize/school/>.

If you are unsure of where your child can receive vaccines, contact your healthcare provider or local health department. **Without the proper documentation of required vaccinations or a valid medical or conscientious exemption, students will not be allowed to attend school.**

Should you have any questions about the required vaccines, please consult your healthcare provider or local health department. You can also visit the DSHS Immunization Unit website at www.ImmunizeTexas.com, call us at (800) 252-9152, or email us at immunization.info@dshs.texas.gov.

Thank you for keeping your child immunized and free from vaccine-preventable diseases. We wish you a rewarding and productive 2019-2020 school year!

Sincerely,

Diane M. Romnes

Diane M. Romnes
Interim Immunization Unit Director

2019 - 2020 Texas Minimum State Vaccine Requirements for Students Grades K - 12

This chart summarizes the vaccine requirements incorporated in the Texas Administrative Code (TAC), Title 25 Health Services, §§97.61-97.72. This document is not intended as a substitute for the TAC, which has other provisions and details. The Department of State Health Services (DSHS) is granted authority to set immunization requirements by the Texas Education Code, Chapter 38.

IMMUNIZATION REQUIREMENTS

A student shall show acceptable evidence of vaccination prior to entry, attendance, or transfer to a public or private elementary or secondary school in Texas.

Vaccine Required (Attention to notes and footnotes)	Minimum Number of Doses Required by Grade Level												Notes	
	Grades K - 6th						Grade 7th	Grades 8th - 12th						
	K	1	2	3	4	5	6	7	8	9	10	11		12
Diphtheria/Tetanus/Pertussis ¹ (DTaP/DTP/DT/Td/Tdap)	5 doses or 4 doses						3 dose primary series and 1 booster dose of Tdap / Td <i>within the last 5 years</i>	3 dose primary series and 1 booster dose of Tdap / Td <i>within the last 10 years</i>						<p>For K – 6th grade: 5 doses of diphtheria-tetanus-pertussis vaccine; 1 dose must have been received on or after the 4th birthday. However, 4 doses meet the requirement if the 4th dose was received on or after the 4th birthday. For students aged 7 years and older, 3 doses meet the requirement if 1 dose was received on or after the 4th birthday.</p> <p>For 7th grade: 1 dose of Tdap is required if at least 5 years have passed since the last dose of tetanus-containing vaccine.*</p> <p>For 8th – 12th grade: 1 dose of Tdap is required when 10 years have passed since the last dose of tetanus-containing vaccine.*</p> <p>*Td is acceptable in place of Tdap if a medical contraindication to pertussis exists.</p>
Polio ¹	4 doses or 3 doses												<p>For K – 12th grade: 4 doses of polio; 1 dose must be received on or after the 4th birthday. However, 3 doses meet the requirement if the 3rd dose was received on or after the 4th birthday.</p>	
Measles, Mumps, and Rubella ^{1,2} (MMR)	2 doses												<p>For K – 12th grade: 2 doses are required, with the 1st dose received on or after the 1st birthday. Students vaccinated prior to 2009 with 2 doses of measles and one dose each of rubella and mumps satisfy this requirement.</p>	
Hepatitis B ²	3 doses												<p>For students aged 11 – 15 years, 2 doses meet the requirement if adult hepatitis B vaccine (Recombivax[®]) was received. Dosage (10 mcg /1.0 mL) and type of vaccine (Recombivax[®]) must be clearly documented. If Recombivax[®] was not the vaccine received, a 3-dose series is required.</p>	
Varicella ^{1,2,3}	2 doses												<p>For K – 12th grade: 2 doses are required with the 1st dose of received on or after the 1st birthday.</p>	
Meningococcal ¹ (MCV4)							1 dose						<p>For 7th – 12th grade, 1 dose of quadrivalent meningococcal conjugate vaccine is required on or after the student's 11th birthday. Note: If a student received the vaccine at 10 years of age, this will satisfy the requirement.</p>	
Hepatitis A ^{1,2}	2 doses												<p>For K – 10th grade: 2 doses are required, with the 1st dose received on or after the 1st birthday.</p>	

NOTE: Shaded area indicates that the vaccine is not required for the respective grade.

↓ Notes on the back page, please turn over.↓

Rev. 03/2019

Requisitos mínimos de vacunación en el estado de Texas de 2019 a 2020 para estudiantes de K - 12º grado

Esta gráfica resume los requisitos de vacunación incorporados en las secciones 97.61 a 97.72 del título 25 (Servicios de salud) del Código Administrativo de Texas (TAC). La gráfica no pretende sustituir lo estipulado en el TAC, el cual contiene otras disposiciones y detalles. Según lo dispuesto en el capítulo 38 del Código de Educación de Texas, se confiere al Departamento Estatal de Servicios de Salud (DSHS) la facultad de establecer los requisitos en materia de inmunización.

REQUISITOS DE INMUNIZACIÓN

Los estudiantes deberán mostrar comprobantes de vacunación aceptables antes de inscribirse, asistir o ser transferidos a una guardería o una escuela primaria o secundaria pública o privada de Texas.

Vacuna necesaria (vea las notas y notas de pie de página)	Número mínimo de dosis necesarias por grado escolar												Notas	
	De kinder - 6º grado						7º grado	De 8º a 12º grado						
	K	1	2	3	4	5	6	7	8	9	10	11		12
Difteria, tétanos, tos ferina ¹ (DTaP, DTP, DT, Td, Tdap)	5 dosis o 4 dosis						Una serie primaria de 3 dosis y 1 dosis de refuerzo de la vacuna Tdap / Td en los últimos 5 años.	Una serie primaria de 3 dosis y 1 dosis de refuerzo de la vacuna Tdap / Td dentro de los últimos 10 años.						<p>Para los grados kinder - 6º: 5 dosis de la vacuna contra la difteria, el tétanos y la tosferina; debe haberse recibido 1 dosis en o después del 4º cumpleaños. Sin embargo, con 4 dosis se cubre el requisito si la 4ª dosis se recibió en o después del 4º cumpleaños. Para los estudiantes mayores de 7 años de edad, con 3 dosis se cumple el requisito si recibieron 1 de las dosis en o después del 4º cumpleaños.</p> <p>Para el 7º grado: Se requiere 1 dosis de la vacuna Tdap si han pasado al menos 5 años desde la última dosis de una vacuna que contenga tétanos.</p> <p>Para los grados 8º - 12º: Se requiere 1 dosis de la vacuna Tdap cuando hayan pasado 10 años desde la última dosis de una vacuna que contenga tétanos.</p> <p>*La vacuna Td es aceptable en lugar de la vacuna Tdap si existe una contraindicación médica para la vacuna contra la tos ferina.</p>
Polio ¹	4 dosis o 3 dosis											<p>Para los grados kinder - 12º: 4 dosis de la vacuna contra la polio; debe haberse recibido 1 dosis en o después del 4º cumpleaños. Sin embargo, con 3 dosis se cubre el requisito si la 3ª dosis se recibió en o después del 4º cumpleaños.</p>		
Sarampión, paperas y rubéola ^{1,2} (MMR)	2 dosis											<p>Para los grados kinder - 12º: Son necesarias 2 dosis de la vacuna, la 1ª de las cuales debe recibirse en o después del 1º cumpleaños. Los estudiantes que fueron vacunados antes de 2009 cumplen con este requisito si recibieron 2 dosis contra el sarampión, una dosis contra la rubéola y una dosis contra las paperas.</p>		
Hepatitis B ²	3 dosis											<p>Para los estudiantes de 11 a 15 años de edad, con 2 dosis cumplen con el requisito si recibieron la vacuna contra la hepatitis B para adultos (Recombivax®). Tanto la dosis (10 mcg/1.0 mL) como el tipo de vacuna (Recombivax®) deben estar claramente documentados. Si la vacuna recibida no fue Recombivax®, es necesaria una serie de 3 dosis.</p>		
Varicela ^{1,2,3}	2 dosis											<p>Para los grados kinder - 12º: Son necesarias 2 dosis, la 1ª de las cuales debe recibirse en o después del 1º cumpleaños.</p>		
Vacuna antimeningocócica ¹ (MCV4)							1 dosis					<p>Para los grados 7º - 12º: Es necesaria 1 dosis de la vacuna antimeningocócica tetravalente conjugada en o después del 11º cumpleaños del estudiante. Nota: Si el estudiante recibió la vacuna a los 10 años de edad, esto satisface el requisito.</p>		
Hepatitis A ^{1,2}	2 dosis											<p>Para los grados kinder - 10º: Son necesarias 2 dosis, la 1ª de las cuales debe recibirse en o después del 1º cumpleaños.</p>		

NOTA: Las casillas sombreadas indican que no se requiere la vacuna para el grado escolar correspondiente.

↓ Notas al reverso, por favor dé la vuelta. ↓

Rev. 03/2019